Notice of Allowability	Application No.	Applicant(s)	
	10/724,901	FUJIMOTO, YOSHIHISA	
	Examiner	Art Unit	
	Tuan T. Lam	2816	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. A This communication is responsive to the response to election/restriction filed 6/17/2004.			
2. 🗵 The allowed claim(s) is/are <u>3-8</u> .			
3. 🔀 The drawings filed on <u>02 December 2003</u> are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b)			
attached Examiner's comment regarding REQUIREMENT I	FOR THE DEPOSIT OF BIOLOGICA	AL MATERIAL.	
Attachment(s)			
 Notice of References Cited (PTO-892) D Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Informal Pa		J-152)
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1/12/2004 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☑ Examiner's Amendment/Comment 8. ☑ Examiner's Statement of Reasons for Allowance 9. ☐ Other		wance
-		Tuan T. Lam Primary Examiner Art Unit: 2816	

Art Unit: 2816

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

The following changes have been made to the subject application:

Specification:

Line 4, after "10/207,177,", --now USP 6,683,514,-- has been inserted.

Claims:

Non-elected claims 1-2 have been canceled.

Claim 5:

Line 14, "a" has been changed to --the--;

Line 15, "an" has been changed to --the--.

The changes have been made to comply with the 35USC 112, second paragraph and to

place the application in a condition for allowance.

2. The following is an examiner's statement of reasons for allowance: the prior art of record

fails to teach or fairly suggest a portion of the non-inverting side line from an end of the non-

inverting-side second capacitor to a cross-point between the non-inverting-side line and the

signal line or to a vicinity of the cross-point, and a portion of the inverting -side line from an end

of the inverting side second capacitor to a cross point between the inverting side line and the

signal line or to a vicinity of the cross point, are positioned next to each other as called for in

claim 3, wherein in one of the areas, which is a first area, the non-inverting-side first switch and

the inverting-side first switch are provided, and in the other of the areas, which is a second area,

Application/Control Number: 10/724,901 Page 3

Art Unit: 2816

the non-inverting-side second switch and the inverting -side second switch are provided as called for in claim 5, an inverting signal line, crossing the one of the non-inverting-side lien and the inverting-side line, for receiving an inverting signal of a signal to be transmitted via the signal line as called for in claim 8. Therefore, claims 3-8 are presently allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan T. Lam whose telephone number is 571-272-1744. The examiner can normally be reached on Monday to Friday (7:30 am to 6:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TIMOTHY P CALLAHAN can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tuan T. Lam Primary Examiner

Art Unit 2816

7/26/2004